

SOLAR BRONZE 20

Performance Data

Total Solar Energy Rejected	77%
Solar Energy Reflected	45%
Solar Energy Absorbed	42%
Solar Energy Transmitted	13%
Visible Light Transmitted	20%
Visible Light Reflected	36%
Ultra Violet Light Rejected	99%
Shading Coefficient	0.27
Solar Heat Gain Coeff. (g Value)	0.23
Emissivity	0.65
Glare Reduction	77%

Performance Guide

Solar Heat Rejection	★★★★★
Glare Reduction	★★★★☆
UV Reduction	★★★★★
Fade Reduction	★★★★★
Safety & Security	☆☆☆☆☆
One-Way Privacy	★★★★☆
Two-Way Privacy	☆☆☆☆☆
Scratch Coating	Yes
Warranty Period	10 Years

Key: Excellent - ★★★★★ Some Benefit - ★☆☆☆☆ N/A - ☆☆☆☆☆

Film Notes

Excellent performing sputtered film with a 'warm' copper colour.

Please refer to your supplier for explanations on performance data, performance guide and application restrictions.